

SEQUENCE LISTING

## RECEIVED

OCT 2 4 2001

TECH CENTER 1600/2900

<110> YUI, MASAKI TAUEMT
YOKOZAWA, AKIRA
MURATA, TOMOYO
TSURUTA, KAZUHISA
SHIMIZU, HIROTOMO

<120> METHOD FOR KEEPING THE QUALITY OF AQUEOUS PARENTERAL SOLUTION OF THROMBOMODULIN IN STORAGE AND DISTRIBUTION

<130> KP-8753

<140> 09/509,994

<141> 2000-05-08

<150> PCT/JP98/04609

<151> 1998-10-13

<150> JP 9-281659

<151> 1997-10-15

<150> JP 9-308523

<151> 1997-11-11

<160> 6

<170> PatentIn Ver. 2.1

<210> 1

<211> 516

<212> PRT

<213> Homo sapiens

<220>

<223> Partial amino acid sequences of a human thrombomodulin

<400> 1

Met Leu Gly Val Leu Val Leu Gly Ala Leu Ala Leu Ala Gly Leu Gly 1 5 15

Phe Pro Ala Pro Ala Glu Pro Gln Pro Gly Gly Ser Gln Cys Val Glu 20 25 30

His Asp Cys Phe Ala Leu Tyr Pro Gly Pro Ala Thr Phe Leu Asn Ala 35 40 45

Ser Gln Ile Cys Asp Gly Leu Arg Gly His Leu Met Thr Val Arg Ser 50 55 60

Ser Val Ala Ala Asp Val Ile Ser Leu Leu Leu Asn Gly Asp Gly Gly 65 70 75 80

Val Gly Arg Arg Leu Trp Ile Gly Leu Gln Leu Pro Pro Gly Cys
85 90 95

- Gly Asp Pro Lys Arg Leu Gly Pro Leu Arg Gly Phe Gln Trp Val Thr
  100 105 110
- Gly Asp Asn Asn Thr Ser Tyr Ser Arg Trp Ala Arg Leu Asp Leu Asn 115 120 125
- Gly Ala Pro Leu Cys Gly Pro Leu Cys Val Ala Val Ser Ala Ala Glu 130 135 140
- Ala Thr Val Pro Ser Glu Pro Ile Trp Glu Glu Gln Gln Cys Glu Val 145 150 155 160
- Lys Ala Asp Gly Phe Leu Cys Glu Phe His Phe Pro Ala Thr Cys Arg 165 170 175
- Pro Leu Ala Val Glu Pro Gly Ala Ala Ala Ala Ala Val Ser Ile Thr 180 185 190
- Tyr Gly Thr Pro Phe Ala Ala Arg Gly Ala Asp Phe Gln Ala Leu Pro 195 200 205
- Val Gly Ser Ser Ala Ala Val Ala Pro Leu Gly Leu Gln Leu Met Cys 210 215 220
- Thr Ala Pro Pro Gly Ala Val Gln Gly His Trp Ala Arg Glu Ala Pro 225 230 235 240
- Gly Ala Trp Asp Cys Ser Val Glu Asn Gly Gly Cys Glu His Ala Cys 245 250 255
- Asn Ala Ile Pro Gly Ala Pro Arg Cys Gln Cys Pro Ala Gly Ala Ala 260 265 270
- Leu Gln Ala Asp Gly Arg Ser Cys Thr Ala Ser Ala Thr Gln Ser Cys 275 280 285
- Asn Asp Leu Cys Glu His Phe Cys Val Pro Asn Pro Asp Gln Pro Gly 290 295 300
- Ser Tyr Ser Cys Met Cys Glu Thr Gly Tyr Arg Leu Ala Ala Asp Gln 305 310 315 320
- His Arg Cys Glu Asp Val Asp Asp Cys Ile Leu Glu Pro Ser Pro Cys 325 330 335
- Pro Gln Arg Cys Val Asn Thr Gln Gly Gly Phe Glu Cys His Cys Tyr 340 345 350
- Pro Asn Tyr Asp Leu Val Asp Gly Glu Cys Val Glu Pro Val Asp Pro 355 360 365
- Cys Phe Arg Ala Asn Cys Glu Tyr Gln Cys Gln Pro Leu Asn Gln Thr 370 375 380
- Ser Tyr Leu Cys Val Cys Ala Glu Gly Phe Ala Pro Ile Pro His Glu 385 390 395 400

Pro His Arg Cys Gln Met Phe Cys Asn Gln Thr Ala Cys Pro Ala Asp 405 410 415

Cys Asp Pro Asn Thr Gln Ala Ser Cys Glu Cys Pro Glu Gly Tyr Ile 420 425 430

Leu Asp Asp Gly Phe Ile Cys Thr Asp Ile Asp Glu Cys Glu Asn Gly
435
440
445

Gly Phe Cys Ser Gly Val Cys His Asn Leu Pro Gly Thr Phe Glu Cys 450 460

Ile Cys Gly Pro Asp Ser Ala Leu Val Arg His Ile Gly Thr Asp Cys 465 470 475 480

Asp Ser Gly Lys Val Asp Gly Gly Asp Ser Gly Ser Gly Glu Pro Pro 485 490 495

Pro Ser Pro Thr Pro Gly Ser Thr Leu Thr Pro Pro Ala Val Gly Leu 500 505 510

Val His Ser Gly 515

<210> 2

<211> 516

<212> PRT

<213> Homo sapiens

<220>

<223> Partial amino acid sequences of a human thrombomodulin

<400> 2

Met Leu Gly Val Leu Val Leu Gly Ala Leu Ala Leu Ala Gly Leu Gly
1 5 10 15

Phe Pro Ala Pro Ala Glu Pro Gln Pro Gly Gly Ser Gln Cys Val Glu 20 25 30

His Asp Cys Phe Ala Leu Tyr Pro Gly Pro Ala Thr Phe Leu Asn Ala 35 40 45

Ser Gln Ile Cys Asp Gly Leu Arg Gly His Leu Met Thr Val Arg Ser 50 55 60

Ser Val Ala Ala Asp Val Ile Ser Leu Leu Leu Asn Gly Asp Gly Gly 65 70 75 80

Val Gly Arg Arg Leu Trp Ile Gly Leu Gln Leu Pro Pro Gly Cys 85 90 95

Gly Asp Pro Lys Arg Leu Gly Pro Leu Arg Gly Phe Gln Trp Val Thr 100 105 110

Gly Asp Asn Asn Thr Ser Tyr Ser Arg Trp Ala Arg Leu Asp Leu Asn 115 120 125 Gly Ala Pro Leu Cys Gly Pro Leu Cys Val Ala Val Ser Ala Ala Glu 130 Ala Thr Val Pro Ser Glu Pro Ile Trp Glu Glu Gln Gln Cys Glu Val Lys Ala Asp Gly Phe Leu Cys Glu Phe His Phe Pro Ala Thr Cys Arg 170 Pro Leu Ala Val Glu Pro Gly Ala Ala Ala Ala Val Ser Ile Thr 180 Tyr Gly Thr Pro Phe Ala Ala Arg Gly Ala Asp Phe Gln Ala Leu Pro Val Gly Ser Ser Ala Ala Val Ala Pro Leu Gly Leu Gln Leu Met Cys 215 Thr Ala Pro Pro Gly Ala Val Gln Gly His Trp Ala Arg Glu Ala Pro 225 Gly Ala Trp Asp Cys Ser Val Glu Asn Gly Gly Cys Glu His Ala Cys 250 Asn Ala Ile Pro Gly Ala Pro Arg Cys Gln Cys Pro Ala Gly Ala Ala 265 Leu Gln Ala Asp Gly Arg Ser Cys Thr Ala Ser Ala Thr Gln Ser Cys Asn Asp Leu Cys Glu His Phe Cys Val Pro Asn Pro Asp Gln Pro Gly Ser Tyr Ser Cys Met Cys Glu Thr Gly Tyr Arg Leu Ala Ala Asp Gln His Arg Cys Glu Asp Val Asp Cys Ile Leu Glu Pro Ser Pro Cys 330 Pro Gln Arg Cys Val Asn Thr Gln Gly Gly Phe Glu Cys His Cys Tyr 340 345 Pro Asn Tyr Asp Leu Val Asp Gly Glu Cys Val Glu Pro Val Asp Pro Cys Phe Arg Ala Asn Cys Glu Tyr Gln Cys Gln Pro Leu Asn Gln Thr Ser Tyr Leu Cys Val Cys Ala Glu Gly Phe Ala Pro Ile Pro His Glu 390 Pro His Arg Cys Gln Met Phe Cys Asn Gln Thr Ala Cys Pro Ala Asp 410 Cys Asp Pro Asn Thr Gln Ala Ser Cys Glu Cys Pro Glu Gly Tyr Ile

```
Leu Asp Asp Gly Phe Ile Cys Thr Asp Ile Asp Glu Cys Glu Asn Gly
        435
                            440
Gly Phe Cys Ser Gly Val Cys His Asn Leu Pro Gly Thr Phe Glu Cys
Ile Cys Gly Pro Asp Ser Ala Leu Ala Arg His Ile Gly Thr Asp Cys
465
                    470
                                        475
                                                             480
Asp Ser Gly Lys Val Asp Gly Gly Asp Ser Gly Ser Gly Glu Pro Pro
                485
                                    490
Pro Ser Pro Thr Pro Gly Ser Thr Leu Thr Pro Pro Ala Val Gly Leu
                                505
Val His Ser Gly
        515
<210> 3
<211> 1548
<212> DNA
<213> Homo sapiens
<220>
<223> Partial base sequences of a human thrombomodulin
      gene
<400> 3
atgettgggg teetggteet tggegegetg geeetggeeg geetggggtt eeeegeacee 60
gcagagccgc agccgggtgg cagccagtgc gtcgagcacg actgcttcgc gctctacccg 120
qqccccqcqa ccttcctcaa tgccagtcag atctgcgacg gactgcgggg ccacctaatg 180
acaqtqcqct cctcqqtqqc tgccgatgtc atttccttqc tactgaacgg cgacggcggc 240
qttqqccqcc qqcqcctctq qatcqqcctq caqctqccac ccqqctqcqq cqaccccaag 300
egecteggge ceetgegegg ettecagtgg gttaegggag acaacaacae cagetatage 360
aggtgggcac ggctcgacct caatggggct cccctctgcg gcccgttgtg cgtcgctgtc 420
teegetgetg aggecaetgt geceagegag eegatetggg aggageagea gtgegaagtg 480
aaggeegatg getteetetg egagtteeae tteeeageea eetgeaggee aetggetgtg 540
gageceggeg eegeggetge egeegteteg ateacetaeg geaeceegtt egeggeeege 600
ggaggggact tecaggeget geeggtggge ageteegeeg eggtggetee ceteggetta 660
caqctaatgt gcaccgcgcc gcccggagcg gtccaggggc actgggccag ggaggcgccg 720
qqcqcttqgq actgcagcqt ggagaacgqc ggctgcgagc acqcgtgcaa tgcgatccct 780
qqqqctcccc gctgccagtg cccagccggc gccgccttgc aggcagacgg gcgctcctgc 840
acceptatecy cyacgeagte etgeaacgae etetgegage aettetgegt teccaacece 900
gaccagccgg gctcctactc gtgcatgtgc gagaccggct accggctggc ggccgaccaa 960
caccggtgcg aggacgtgga tgactgcata ctggagccca gtccgtgtcc gcagcgctgt 1020
gtcaacacac agggtggctt cgagtgccac tgctacccta actacgacct ggtggacggc 1080
gagtgtgtgg agcccgtgga cccgtgcttc agagccaact gcgagtacca gtgccagccc 1140
ctgaaccaaa ctagctacct ctgcgtctgc gccgagggct tcgcgcccat tccccacgag 1200
ccgcacaggt gccagatgtt ttgcaaccag actgcctgtc cagccgactg cgaccccaac 1260
```

acccaggeta getgtgagtg ceetgaagge tacateetgg aegaeggttt catetgeaeg 1320 gacategaeg agtgegaaaa eggeggette tgeteegggg tgtgecaeaa ceteeeeggt 1380 acettegagt geatetgegg geeegaeteg geeettgtee geeaeattgg cacegaetgt 1440 gacteeggea aggtggaegg tggegaeage ggetetggeg ageeeeegee eageeegaeg 1500

cccggctcca ccttgactcc tccggccgtg gggctcgtgc attcgggc

```
<210> 4
<211> 1548
<212> DNA
<213> Homo sapiens
<220>
<223> Partial base sequences of a human thrombomodulin
      gene
<400> 4
atgettgggg teetggteet tggegegetg geeetggeeg geetggggtt eeeegeacee 60
gcagagcegc agcegggtgg cagceagtgc gtcgagcacg actgettege getetacecg 120
ggccccgcga ccttcctcaa tgccagtcag atctgcgacg gactgcgggg ccacctaatg 180
acagtgcgct cctcggtggc tgccgatgtc atttccttgc tactgaacgg cgacggcggc 240
gttggccgcc ggcgcctctg gatcggcctg cagctgccac ccggctgcgg cgaccccaag 300
cgcctcgggc ccctgcgcgg cttccagtgg gttacgggag acaacaacac cagctatagc 360
aggtgggcac ggctcgacct caatggggct ccctctgcg gcccgttgtg cgtcgctgtc 420
tecgetgetg aggecaetgt geceagegag eegatetggg aggageagea gtgcgaagtg 480
aaggeegatg getteetetg egagtteeae tteecageea eetgeaggee aetggetgtg 540
gageceggeg eegeggetge egeegteteg ateacetacg geacecegtt egeggeeege 600
ggageggaet tecaggeget geeggtggge ageteegeeg eggtggetee ceteggetta 660
eagetaatgt geacegegee geeeggageg gteeagggge actgggeeag ggaggegeeg 720
ggcgcttggg actgcagcgt ggagaacggc ggctgcgagc acgcgtgcaa tgcgatccct 780
ggggeteece getgeeagtg ceeageegge geegeeetge aggeagaegg gegeteetge 840
acceptatecy cyacquagte etgeaacgae etetgegage acttetgegt teccaaccee 900
gaccagoogg gotoctacto gtgcatgtgc gagacoggot acoggotggc ggccgaccaa 960
caccqqtqcq agqacqtqqa tqactqcata ctgqaqccca gtccqtqtcc gcaqcqctqt 1020
gtcaacacac agggtggctt cgagtgccac tgctacccta actacgacct ggtggacggc 1080
qaqtqtqtqq aqcccqtqqa cccqtqcttc aqaqccaact gcqagtacca gtgccagccc 1140
ctgaaccaaa ctagctacct ctgcgtctgc gccgagggct tcgcgcccat tccccacgag 1200
cogcacaggt gocagatgtt ttgcaaccag actgcctgtc cagccgactg cgaccccaac 1260
accoaggeta getgtgagtg ceetgaagge tacateetgg acgaeggttt catetgcaeg 1320
gacategaeg agtgegaaaa eggeggette tgeteegggg tgtgeeacaa ceteeeeggt 1380
accttcgagt gcatctgcgg gcccgactcg gcccttgccc gccacattgg caccgactgt 1440
gacteeggea aggtggaegg tggegaeage ggetetggeg ageeeeegee cageeegaeg 1500
cccggctcca ccttgactcc tccggccgtg gggctcgtgc attcgggc
<210> 5
<211> 21
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Synthetic
     peptide
<220>
<223> Synthetic DNA for mutation
<400> 5
                                                                  21
aatgtggcgg gcaagggccg a
<210> 6
<211> 4
```

<212> PRT

<213> Artificial Sequence

```
<220>
<223> Description of Artificial Sequence: Synthetic substrate
```

<400> 6 Leu Ser Thr Arg 1